



AMAZON BOWEL SUPPORT*

120 capsules (650 mg each)

Retail price: \$31.95

A synergistic formula of 7 rainforest botanicals traditionally used in South America for bowel function.* For more complete information on these unique rainforest plant ingredients, please see the Raintree Nutrition internet website and the online [Tropical Plant Database](#).

Ingredients: A proprietary blend of cat's claw, macela, boldo, simarouba, jurubeba, tayuya, and anamu.

Suggested Use: Take 2-3 capsules three times daily on an empty stomach.

Contraindications:

- Not to be used during pregnancy or while breast-feeding.
- This product should not be used with medications intended to suppress the immune system.

Drug Interactions: May potentiate blood thinning medications such as Warfarin. May reduce the effect of immune suppressants.

Other Observations:

- Several plants in this formula contain a low concentration of coumarin which has an anticoagulant effect. People with blood disorders such as hemophilia, or those on blood thinning medications should be monitored closely.
- Cat's claw and jurubeba have been documented to have an antifertility effect. Those seeking to become pregnant or those undergoing treatment for infertility should not use this formula.

Clinical Documentation and Research:* This proprietary Raintree formula has not been the subject of any clinical research. Available third-party documentation and clinical research on each ingredient in this formula can be found at the Raintree website. A partial listing of published research on these ingredients is shown below:

[Cat's Claw \(*Uncaria tomentosa*\)](#)

Hardin, S. R. "Cat's claw: An Amazonian vine decreases inflammation in osteoarthritis." *Complement. Ther. Clin. Pract.* 2007 Feb; 13(1): 25-8.

Allen-Hall, L., et al. "Treatment of THP-1 cells with *Uncaria tomentosa* extracts differentially regulates the expression of IL-1beta and TNF-alpha." *J. Ethnopharmacol.* 2007 Jan; 109(2): 312-7.

Miller, M. J., et al. "The chondroprotective actions of a natural product are associated with the activation of IGF-1 production by human chondrocytes despite the presence of IL-1beta." *BMC Complement. Altern. Med.* 2006 Apr; 6:13.

Miller, M. J., et al. "Early relief of osteoarthritis symptoms with a natural mineral supplement and a herbomineral combination: a randomized controlled trial [ISRCTN38432711]." *J. Inflamm.* 2005 Oct; 2:11.

Valerio, L. G., et al. "Toxicological aspects of the South American herbs cat's claw (*Uncaria tomentosa*) and Maca (*Lepidium meyenii*): a critical synopsis." *Toxicol. Rev.* 2005; 24(1): 11-35.

Setty, A. R., et al. "Herbal medications commonly used in the practice of rheumatology: mechanisms of action, efficacy, and side effects." *Semin. Arthritis Rheum.* 2005; 34(6): 773-84.

Sheng, Y., et al. "An active ingredient of Cat's Claw water extracts: identification and efficacy of quinic acid." *J. Ethnopharmacol.* 2005 Jan 15; 96(3):

Aguilar, J. L., et al. "Anti-inflammatory activity of two different extracts of *Uncaria tomentosa* (Rubiaceae)." *J. Ethnopharmacol.* 2002; 81(2): 271-76.

Sandoval, M., et al., "Anti-inflammatory and antioxidant activities of cat's claw (*Uncaria tomentosa* and *Uncaria guianensis*) are independent of their alkaloid content." *Phytomedicine.* 2002; 9(4): 325-37.

Mur, E., et al. "Randomized double blind trial of an extract from the pentacyclic alkaloid-chemotype of *Uncaria tomentosa* for the treatment of rheumatoid arthritis." *J. Rheumatol.* 2002 Apr; 29(4): 678-81.

Piscocoya, J., et al. "Efficacy and safety of freeze-dried cat's claw in osteoarthritis of the knee: mechanisms of action of the species *Uncaria guianensis*." *Inflamm. Res.* 2001; 50(9): 442-8.

Sandoval-Chacon, M., et al. "Anti-inflammatory actions of cat's claw: the role of NF-kappaB." *Aliment. Pharmacol. Ther.* 1998; 12(12): 1279-89.

- Recio, M. C., et al. "Structural requirements for the anti-inflammatory activity of natural triterpenoids." *Planta Med.* 1995; 61(2): 182–85.
- Aquino, R., et al. "Plant metabolites. New compounds and anti-inflammatory activity of *Uncaria tomentosa*." *J. Nat. Prod.* 1991; 54: 453–59.
- Cerri, R., et al. "New quinovic acid glycosides from *Uncaria tomentosa*." *J. Nat. Prod.* 1988; 51: 257–61.

Boldo (*Peumus boldus*)

- Gotteland, M., et al. "Protective effect of boldine in experimental colitis." *Planta Med.* 1997; 63(4): 311–15.
- Gotteland, M., et al. "Effect of a dry boldo extract on oro-cecal intestinal transit in healthy volunteers." *Rev. Med. Chil.* 1995; 123(8): 955–60.
- Estelles, R., et al. "Effect of boldine, secoboldine, and boldine methine on angiotensin II-induced neutrophil recruitment *in vivo*." *J. Leukoc. Biol.* 2005 Sep; 78(3): 696-704.
- Kang, J. J., et al. "Studies on neuromuscular blockade by boldine in the mouse phrenic nerve diaphragm." *Planta Med.* 1999; 65(2): 178–79.
- Kang, J. J., et al. "Effects of boldine on mouse diaphragm and sarcoplasmic reticulum vesicles isolated from skeletal muscle." *Planta Med.* 1998; 64(1): 18–21.
- Backhouse, N., et al. "Anti-inflammatory and antipyretic effects of boldine." *Agents Actions* 1994; 42(3–4): 114–17.
- Ivorra, M. D., et al. "Different mechanism of relaxation induced by aporphine alkaloids in rat uterus." *J. Pharm. Pharmacol.* 1993; 45(5): 439–43.
- Lanhers, M. C., et al. "Hepatoprotective and anti-inflammatory effects of a traditional medicinal plant of Chile, *Peumus boldus*." *Planta Med.* 1991; 57(2): 110–15.
- O'brien, P., et al. "Boldine and its antioxidant or health-promoting properties." *Chem. Biol. Interact.* 2006 Jan; 159(1): 1-17.

Macela (*Achyrocline satureioides*, *Egletes viscosa*)

- Rao, V. S., et al. "Investigations on the gastroprotective and antidiarrhoeal properties of ternatin, a tetramethoxyflavone from *Egletes viscosa*." *Planta Med.* 1997 Apr; 63(2): 146-9.
- Guedes, M. M., et al. "Antinociceptive and gastroprotective effects of diterpenes from the flower buds of *Egletes viscosa*." *Planta Med.* 2002; 68(11): 1044-6.
- Melo, C. M., et al. "12-Acetoxyhawthriwaic acid lactone, a diterpene from *Egletes viscosa*, attenuates capsaicin-induced ear edema and hindpaw nociception in mice: possible mechanisms." *Planta Med.* 2006 Jun; 72(7): 584-9.
- Hnatyszyn, O., et al. "Flavonoids from *Achyrocline satureioides* with relaxant effects on the smooth muscle of guinea pig corpus cavernosum." *Phytomedicine.* 2004; 11(4): 366-9.
- Vieira, M. M., et al. "Ternatin, a flavonoid, prevents cyclophosphamide and ifosfamide-induced hemorrhagic cystitis in rats." *Phytother. Res.* 2004; 18(2): 135-41.
- Gugliucci, A., et al. "Three different pathways for human LDL oxidation are inhibited *in vitro* by water extracts of the medicinal herb *Achyrocline satureioides*." *Life Sci.* 2002; 71(6): 693–705.
- Kadarian, C., et al. "Hepatoprotective activity of *Achyrocline satureioides* (Lam.) D.C." *Pharmacol. Res.* 2002; 45(1): 57–61.
- Souza, M.F., et al. "Inhibition by the bioflavonoid ternatin of aflatoxin B1-induced lipid peroxidation in rat liver." *J. Pharm. Pharmacol.* 1999; 51(2):125-9.
- Desmarchelier, C., et al. "Antioxidant and free radical scavenging effects in extracts of the medicinal herb *Achyrocline satureioides* (Lam.) D.C. (macela)." *Braz. J. Med. Biol. Res.* 1998; 31(9): 163–70.
- Desmarchelier, C., et al. "Antioxidant and prooxidant activities in aqueous extracts of Argentine Plants." *Int. J. Pharmacog.* 1997; 35(2): 116–20.
- Lima, M. A., et al. "Biologically active flavonoids and terpenoids from *Egletes viscosa*." *Phytochemistry.* 1996; 41(1): 217-23.
- Rao, V. S., et al. "Protective effect of ternatin, a flavonoid isolated from *Egletes viscosa* Less., in experimental liver injury." *Pharmacology.* 1994; 48(6): 392-7.
- Rao, V. S., et al. "Ternatin, an anti-inflammatory flavonoid, inhibits thioglycolate-elicited rat peritoneal neutrophil accumulation and LPS-activated nitric oxide production in murine macrophages." *Planta Med.* 2003; 69(9): 851-3.
- Lima, M. A., et al. "Biologically active flavonoids and terpenoids from *Egletes viscosa*." *Phytochemistry.* 1996; 41(1): 217-23.
- Souza, M. F., et al. "Anti-anaphylactic and anti-inflammatory effects of ternatin, a flavonoid isolated from *Egletes viscosa* Less." *Braz. J. Med. Biol. Res.* 1992; 25(10): 1029-32.

Simoes, C. M., et al. "Pharmacological investigations on *Achyrocline satureoides* (Lam). D.C., Compositae." *J. Ethnopharmacol.* 1988 Apr; 22(3): 281–93.

[Simarouba \(Simarouba amara\)](#)

Caceres, A. "Plants used in Guatemala for the treatment of gastrointestinal disorders. 1. Screening of 84 plants against enterobacteria." *J. Ethnopharmacol.* 1990; 30(1): 55–73.

Wright, C. W. "Use of microdilution to assess *in vitro* antiamebic activities of *Brucea javanica* fruits, *Simarouba amara* stem, and a number of quassinoids." *Antimicrob. Agents Chemother.* 1988; 32(11): 1725-1729.

Wright, C. W., et al. "Quassinoids exhibit greater selectivity against *Plasmodium falciparum* than against *Entamoeba histolytica*, *Giardia intestinalis* or *Toxoplasma gondii* *in vitro*." *J. Eukaryot. Microbiol.* 1993 ; 40(3): 244-6.

Duriez, R., et al. "Glaucarubin in the treatment of amebiasis." *Presse Med.* 1962; 70: 1291.

[Jurubeba \(Solanum paniculatum\)](#)

Botion, L. M., et al. "Effects of the Brazilian phytopharmaceutical product jerobina® on lipid metabolism and intestinal tonus." *J. Ethnopharmacol.* 2005 Nov; 102(2): 137-42.

Braga, F. T., et al. *Jurubeba*. Centro Universitário de Lavras, Lavras-MG Brazil, 2002.

Mesia-Vela, S., et al. "*Solanum paniculatum* L. (Jurubeba): Potent inhibitor of gastric acid secretion in mice." *Phytomedicine* 2002; 9(6): 508–14.

Barros, G. S. G., et al. "Pharmacological screening of some Brazilian plants." *J. Pharm. Pharmac.* 1969; 22: 116–22.

[Tayuya \(Cayaponia tayuya\)](#)

Truitt, M.C., et al. "Antiprotozoal and molluscicidal activities of five Brazilian plants." *Braz. J. Med. Biol. Res.* 2005; 38(12): 1873-8

Escandell, J. M., et al. "Dihydrocucurbitacin B, isolated from *Cayaponia tayuya*, reduces damage in adjuvant-induced arthritis." *Eur. J. Pharmacol.* 2006 Jan 26;

Recio, M. C., et al. "Anti-inflammatory activity of two cucurbitacins isolated from *Cayaponia tayuya* roots." *Planta Med.* 2004; 70(5): 414-20.

Himeno, E., et al. "Structures of cayaponosides A, B, C and D, glucosides of new nor-cucurbitacins in the roots of *Cayaponia tayuya*." *Chem. Pharm. Bull. (Tokyo)* 1992; 40(10): 2885–87.

Ruppelt, B. M., et al. "Pharmacological screening of plants recommended by folk medicine as anti-snake venom—I. Analgesic and anti-inflammatory activities." *Mem. Inst. Oswaldo Cruz* 1991; 86 (Suppl. 2): 203–5.

Rios, J. L., et al. "A study of the anti-inflammatory activity of *Cayaponia tayuya* root." *Fitoterapia* 1990; 61(3): 275–78.

Huguet, A. I., et al. "Superoxide scavenging properties of flavonoids in a non-enzymic system." *Z. Natur. Forsch.* 1990; 45(1–2): 19–24.

[Anamu \(Petiveria alliacea\)](#)

Gomes, P. B., et al. "Study of antinociceptive effect of isolated fractions from *Petiveria alliacea* L. (tipi) in mice." *Biol. Pharm. Bull.* 2005; 28(1): 42-6.

Lopes-Martins, R. A., et al. "The anti-inflammatory and analgesic effects of a crude extract of *Petiveria alliacea* L. (Phytolaccaceae)." *Phytomedicine.* 2002; 9(3): 245-48.

Dunstan, C. A., et al. "Evaluation of some Samoan and Peruvian medicinal plants by prostaglandin biosynthesis and rat ear oedema assays." *J. Ethnopharmacol.* 1997 Jun; 57(1): 35-56.

Germano, D., et al. "Pharmacological assay of *Petiveria alliacea*. Oral anti-inflammatory activity and gastrotoxicity of a hydro alcoholic root extract." *Fitoterapia.* 1993; 64(5): 459-467.

Germano, D. H., et al. "Topical anti-inflammatory activity and toxicity of *Petiveria alliacea*." *Fitoterapia.* 1993; 64(5): 459-67.

de Lima, T. C., et al. "Evaluation of antinociceptive effect of *Petiveria alliacea* (Guine) in animals." *Mem. Inst. Oswaldo Cruz.* 1991; 86 Suppl 2: 153-58.

Di Stasi, L. C., et al. "Screening in mice of some medicinal plants used for analgesic purposes in the state of São Paulo." *J. Ethnopharmacol.* 1988; 24(2/3): 205–11.

Kim, S., et al. "Antibacterial and antifungal activity of sulfur-containing compounds from *Petiveria alliacea* L." *J. Ethnopharmacol.* 2005 Oct 13;

Ruffa, M. J., et al. "Antiviral activity of *Petiveria alliacea* against the bovine diarrhea virus." *Chemotherapy* 2002;

48(3): 144-47.

Caceres, A., et al. "Plants used in Guatemala for the treatment of protozoal infections. I. Screening of activity to bacteria, fungi and American trypanosomes of 13 native plants." *J. Ethnopharmacol.* 1998 Oct; 62(3): 195-202.
Berger, I., et al. "Plants used in Guatemala for the treatment of protozoal infections: II. Activity of extracts and fractions of five Guatemalan plants against *Trypanosoma cruzi*." *J. Ethnopharmacol.* 1998 Sep; 62(2): 107-15.
Von Szczepanski, C., et al. "Isolation, structure elucidation and synthesis of an antimicrobial substance from *Petiveria alliacea*." *Arzneim-Forsch* 1972; 22: 1975-.

This Amazon Support Formula is a professional product sold by health practitioners and [Raintree Nutrition](#). It is not available in retail stores. Please contact a health professional concerning other observations and/or effects of this product and/or if you have any disease, condition, or illness for which you are seeking treatment or products for.

Manufactured By:
Raintree Nutrition, Inc.
3579 Hwy 50 East, Suite 222
Carson City, Nevada 89701
(800) 780-5902 (775) 841-4142
www.RaintreeNutrition.com



* The statements contained herein have not been evaluated by the Food and Drug Administration.
This product is not intended to treat, cure, or prevent any disease.