

Anti-Parasitic, Insecticidal & Insect-Repellant Actions of Brazilian & Peruvian Peppertrees (*Schinus molle* & *Schinus terebinthifolius*)

By Leslie Taylor

Rosa, D., et al. "Effect of *Schinus molle* L. essential oil on *Leishmania amazonensis*: targeting proliferation, mitochondrial potential and autophagy." *J. Ethnopharmacol.* 2026 Jan; 354: 120533.

Atenafu, G., and Atnaf, N. "Efficacy of seed oils from *Azadirachta indica* and *Schinus molle* and their combination against *Anopheles gambiae* s. l." *J. Trop. Med.* 2025 Sep; 2025: 4460220.

Bomfim, J., et al. "Insecticidal and behavioral effects of essential oils on *Bemisia tabaci* MEAM1 (Hemiptera: Aleyrodidae)." *J. Econ. Entomol.* 2025 Aug; 118(4): 1694-1701.

Maria Neto, R., et al. "Steam distillation, supercritical fluid extraction, and anti-*Trypanosoma cruzi* activity of compounds from pink pepper (*Schinus terebinthifolius* Raddi)." *Nat. Prod. Res.* 2025 Nov; 39(22): 6374-6382.

Baccari, W., et al. "*Schinus molle* Resin essential oil as potent bioinsecticide against *Tribolium castaneum*: chemical profile, *in vitro* acetylcholinesterase inhibition, DFT calculation and molecular docking analysis." *Biomolecules.* 2024 Nov; 14(11): 1464.

Rodríguez-Garza, N., et al. "*In vitro* antiprotozoal activity of *Schinus molle* extract, partitions, and fractions against *Trypanosoma cruzi*." *Plants* (Basel). 2024 Aug; 13(16): 2177.

Pereira, J. et al. "Exploring the antiparasitic and antimicrobial potential of *Schinus terebinthifolius* Raddi essential oil against fish and shrimp pathogens." *J. Fish Dis.* 2024 Nov; 47(11): e14010.

da Silva, A., et al. "Antileishmanial and antifungal activities of volatile oils from *Cinnamomum cassia* Bark and *Schinus molle* leaves." *Chem. Biodivers.* 2024 Sep; 21(9): e202401076.

Chaaban, S., et al. "Fumigant toxicity of four essential oils against the carob moth *Ectomyelois ceratoniae* Zeller and the Mediterranean flour moth *Ephestia kuehniella*." *Int. J. Environ. Health Res.* 2024 Jan; 34(1): 419-431.

Fouad, H., et al. "Insecticidal and repellent activities of four essential oils against *Sitophilus zeamais* (Coleoptera: Curculionidae)." *Dose Response.* 2023 Nov; 21(4): 15593258231210263.

Bezerra, L., et al. "Efficiency of essential oils in the control of the black bean aphid *Aphis craccivora* Koch (Hemiptera: Aphididae)." *Braz. J. Biol.* 2023 Sep; 83: e275069.

Hussein, H. et al. "Comparative study of three plant-derived extracts as new management strategies against *Spodoptera littoralis* (Boisd.) (Lepidoptera: Noctuidae)." *Sci. Rep.* 2023 Mar; 13(1): 3542.

Achimón, F., et al. "Exploring contact toxicity of essential oils against *Sitophilus zeamais* through a meta-analysis approach." *Plants* (Basel). 2022 Nov; 11(22): 3070.

Cortese, D., et al. "Repellency and reduction of offspring emergence potential of some botanical extracts against *Sitophilus zeamais* (Coleoptera: Curculionidae) in stored maize." *Insects*. 2022 Sep; 13(9): 842.

de Oliveira Barbosa Bitencourt, R., et al. "Entomopathogenic fungi and *Schinus molle* essential oil: The combination of two eco-friendly agents against *Aedes aegypti* larvae." *J. Invertebr. Pathol.* 2022 Oct; 194: 107827.

Belhoussaine, O., et al. "Chemical composition, antioxidant, insecticidal activity, and comparative analysis of essential oils of leaves and fruits of *Schinus molle* and *Schinus terebinthifolius*." *Evid. Based Complement. Alternat. Med.* 2022 May; 2022: 4288890.

Herrera-Calderon, O., et al. "GC-MS Profile, antioxidant activity, and in silico study of the essential oil from *Schinus molle* L. leaves in the presence of mosquito juvenile hormone-binding protein (mJHBP) from *Aedes aegypti*." *Biomed. Res. Int.* 2022 May; 2022: 5601531.

Oliveira, O., et al. "Deleterious effects of *Schinus terebinthifolius* Raddi seed flour on cowpea weevil, *Callosobruchus maculatus* (F.), larval development." *Pestic. Biochem. Physiol.* 2022 May; 183: 105082.

de Castro Oliveira, J., et al. "*Eugenia uniflora*, *Melaleuca armillaris*, and *Schinus molle* essential oils to manage larvae of the filarial vector *Culex quinquefasciatus* (Diptera: Culicidae)." *Environ. Sci. Pollut. Res. Int.* 2022 May; 29(23): 34749-34758.

Nenaah, G., et al. "The essential oil of *Schinus terebinthifolius* and its nanoemulsion and isolated monoterpenes: investigation of their activity against *Culex pipiens* with insights into the adverse effects on non-target organisms." *Pest. Manag. Sci.* 2022 Mar; 78(3): 1035-1047.

Luns, D., et al. "Effect of essential oils against acaricide-susceptible and acaricide-resistant *Rhipicephalus* ticks." *Exp. Appl. Acarol.* 2021 Apr; 83(4): 597-608.

Mekuria, A., et al. "Antimalarial activity of seed extracts of *Schinus molle* against *Plasmodium berghei* in mice." *J. Evid. Based Integr. Med.* 2021 Jan-Dec; 26: 2515690X20984287.

Umehara, E., et al. "Differential lethal action of C17:2 and C17:0 anacardic acid derivatives in *Trypanosoma cruzi* - A mechanistic study." *Bioorg. Chem.* 2020 Sep; 102: 104068.

Araujo, M., et al. "Insecticidal properties and chemical composition of *Piper aduncum* L., *Lippia sidoides* Cham. and *Schinus terebinthifolius* Raddi essential oils against *Plutella xylostella* L." *An. Acad. Bras. Cienc.* 2020 Jun; 92(suppl 1): e20180895.

Kemal, J., et al. "In vitro acaricidal activity of selected medicinal plants traditionally used against ticks in eastern Ethiopia." *J. Parasitol. Res.* 2020 Feb; 2020: 7834026.

Habte, G., et al. "Antimalarial activity of aqueous and 80% methanol crude seed extracts and solvent fractions of *Schinus molle* Linnaeus (Anacardiaceae) in *Plasmodium berghei*-infected mice." *J. Trop. Med.* 2020 Feb; 2020: 9473250.

Rey-Valeirón, C., et al. "Acaricidal effect of *Schinus molle* (Anacardiaceae) essential oil on unengorged larvae and engorged adult females of *Rhipicephalus sanguineus* (Acari: Ixodidae)." *Exp. Appl. Acarol.* 2018 Nov; 76(3): 399-411.

Zenebe, S., et al. "In vitro anthelmintic activity of crude extracts of aerial parts of *Cissus quadrangularis* L. and leaves of *Schinus molle* L. against *Haemonchus contortus*." *Biomed. Res. Int.* 2017; 2017: 1905987.

Delgado-Altamirano, R., et al. "In vitro antileishmanial activity of Mexican medicinal plants." *Heliyon.* 2017 Sep; 3(9): e00394.

Pellegrini, M., et al. "Chemical composition, antimicrobial activity, and mode of action of essential oils against *Paenibacillus* larvae, Etiological agent of American foulbrood on *Apis mellifera*." *Chem. Biodivers.* 2017 Apr; 14(4).

Batista, L., et al. "In vitro efficacy of essential oils and extracts of *Schinus molle* L. against *Ctenocephalides felis felis*." *Parasitology.* 2016 Apr; 143(5): 627-38.

Rizwan-ul-Haq, M., et al. "Rhynchophorus ferrugineus midgut cell line to evaluate insecticidal potency of different plant essential oils." *In Vitro Cell. Dev. Biol. Anim.* 2015 Mar; 51(3): 281-6.

Procópio, T., et al. "Schinus terebinthifolius leaf extract causes midgut damage, interfering with survival and development of *Aedes aegypti* larvae." *PLoS One.* 2015 May 14; 10(5): e0126612.

Morais, J.T., et al. "Antiparasitic activity of natural and semi-synthetic tirucallane triterpenoids from *Schinus terebinthifolius* (Anacardiaceae): structure/activity relationships." *Molecules.* 2014 May 5; 19(5): 5761-76.

Molina-Garza, Z., et al. "Anti-Trypanosoma cruzi activity of 10 medicinal plants used in northeast Mexico." *Acta Trop.* 2014 Aug; 136: 14-8.

Werdin González, J., et al. "Lethal and sublethal effects of four essential oils on the egg parasitoids *Trissolcus basalis*." *Chemosphere.* 2013 Jul; 92(5): 608-15.

Baldissera, M., et al. "Trypanocidal activity of the essential oils in their conventional and nanoemulsion forms: in vitro tests." *Exp. Parasitol.* 2013 Jul; 134(3): 356-61.

do Nascimento, A., et al. "Essential oil composition and acaricidal activity of *Schinus terebinthifolius* from Atlantic Forest of Pernambuco, Brazil against *Tetranychus urticae*." *Nat Prod Commun.* 2012 Jan; 7(1): 129-32.

Benzi, V., et al. "Insecticidal and insect-repellent activities of essential oils from Verbenaceae and Anacardiaceae against *Rhizopertha dominica*." *Nat. Prod. Commun.* 2009; 4(9): 1287-90.

Abdel-Sattar, E., et al. "Chemical composition, insecticidal and insect repellent activity of *Schinus molle* L. leaf and fruit essential oils against *Trogoderma granarium* and *Tribolium castaneum*." *Nat. Prod. Res.* 2009 Feb; 25: 1-10.

Ferrero, A., et al. "Repellence and toxicity of *Schinus molle* extracts on *Blattella germanica*." *Fitoterapia.* 2007 Jun; 78(4): 311-4.

Ferrero, A., et al. "Biological activity of *Schinus molle* on *Triatoma infestans*." *Fitoterapia.* 2006 Jul; 77(5): 381-3.

Ruffinengo, S., et al. "LD50 and repellent effects of essential oils from Argentinian wild plant species on *Varroa destructor*." *J. Econ. Entomol.* 2005 Jun; 98(3): 651-5.

Copyrighted by Leslie Taylor 2026. All Rights Reserved.

Return to the [Rain-Tree Tropical Plant Database on Brazilian Peppertree](#)