

Anti-Diabetic & Hypoglycemic Actions of [Pata de Vaca \(*Bauhinia fortificata*\)](#)

By Leslie Taylor, Copyrighted 2025.

- Romsuk, J., et al. "Heterologous production of corosolic acid, a phyto-insulin, in agroinfiltrated *Nicotiana benthamiana* leaves." *Plant Biotechnol.* (Tokyo). 2024 Sep; 41(3): 277-288.
- Santana-Lima, B., et al. "Acute kaempferol stimulation induces AKT phosphorylation in HepG2 cells." *Life* (Basel). 2024 Jun; 14(6): 764.
- Gasparini, P., et al. "*Bauhinia fortificata* Link extract attenuates insulin resistance by preserving glucose uptake in gastrocnemius muscle." *Nat. Prod. Res.* 2023 Jun; 37(12): 2031-2036.
- Tonelli, C., et al. "Clinical efficacy of capsules containing standardized extract of *Bauhinia fortificata* Link (pata-de-vaca) as adjuvant treatment in type 2 diabetes patients: A randomized, double blind clinical trial." *J. Ethnopharmacol.* 2022 Jan; 282: 114616.
- Chávez-Bustos, E., et al. "*Bauhinia fortificata* Link, antioxidant, genoprotective, and hypoglycemic activity in a murine model." *Plants* (Basel). 2022 Nov; 11(22): 3052.
- Jung, E., et al. "*Bauhinia fortificata* Link infusions: chemical and bioactivity of volatile and non-volatile fractions." *Molecules.* 2022 Aug; 27(17): 5415.
- Franco, R., et al. "Antidiabetic potential of *Bauhinia fortificata* Link leaves: a non-cytotoxic source of lipase and glycoside hydrolases inhibitors and molecules with antioxidant and antiglycation properties." *Biomed. Pharmacother.* 2020 Mar; 123: 109798.
- Córdova Mariángel, P., et al. "Effects of *Bauhinia fortificata* Link tea on lipid profile in diabetic patients." *J. Med. Food.* 2019 Mar; 22(3): 321-323.
- Pinafo, M., et al. "Effects of *Bauhinia fortificata* on glycaemia, lipid profile, hepatic glycogen content and oxidative stress in rats exposed to Bisphenol A." *Toxicol. Rep.* 2019 Mar; 6: 244-252.
- Pedrete, T., et al. "Proteomic characterization of medicinal plants used in the treatment of diabetes." *Int. J. Biol. Macromol.* 2019 Nov; 140: 294-302.
- Franco, R., et al. "Antioxidant and anti-glycation capacities of some medicinal plants and their potential inhibitory against digestive enzymes related to type 2 diabetes mellitus." *J. Ethnopharmacol.* 2018 Apr; 215: 140-146.
- de Souza, B., et al. "*Bauhinia fortificata* in the treatment of Diabetes Mellitus: A patent review." *Expert Opin. Ther. Pat.* 2018 Feb; 28(2): 129-138.
- Santos, M., et al. "Analysis of flavonoid glycosides with potential medicinal properties on *Bauhinia uruguayensis* and *Bauhinia fortificata* subspecies pruinosa." *Nat. Prod. Res.* 2018 Apr; 5:1-5.
- Ku, W., et al. "A comparative proteomic study of secretomes in kaempferitrin-treated CTX TNA2

astrocytic cells." *Phytomedicine*. 2017 Dec; 36: 137-144.

Ecker, A., et al. "High-sucrose diet induces diabetic-like phenotypes and oxidative stress in *Drosophila melanogaster*: Protective role of *Syzygium cumini* and *Bauhinia forficata*." *Biomed. Pharmacother*. 2017 May; 89: 605-616.

Farag, M., et al. "Phytochemical, antioxidant and antidiabetic evaluation of eight *Bauhinia* L. species from Egypt using UHPLC-PDA-qTOF-MS and chemometrics." *Phytochemistry*. 2015 Nov; 119: 41-50.

Salgueiro, A., et al. "The influence of *Bauhinia forficata* Link subsp. *pruinosa* tea on lipid peroxidation and non-protein SH groups in human erythrocytes exposed to high glucose concentrations." *J Ethnopharmacol*. 2013 Jun; 148(1): 81-7.

Cazarolli, L., et al. "Insulin signaling: A potential signaling pathway for the stimulatory effect of kaempferitrin on glucose uptake in skeletal muscle." *Eur. J. Pharmacol*. 2013; 712: 1–7.

Ferreres, F., et al. "*Bauhinia forficata* Link authenticity using flavonoids profile: Relation with their biological properties." *Food Chem*. 2012 Sep; 134(2): 894-904.

Curcio, S., et al. "Hypoglycemic effects of an aqueous extract of *Bauhinia forficata* on the salivary glands of diabetic mice." *Pak. J. Pharm. Sci*. 2012 Jul; 25(3): 493-9.

Trojan-Rodrigues, M., et al. "Plants used as antidiabetics in popular medicine in Rio Grande do Sul, southern Brazil." *J. Ethnopharmacol*. 2012 Jan; 139(1): 155-63.

Pereira, D., et al. "Effects of flavonoids on α -glucosidase activity: potential targets for glucose homeostasis." *Nutrition*. 2011 Nov-Dec; 27(11-12): 1161-7.

da Cunha, A., et al. "Hypoglycemic activity of dried extracts of *Bauhinia forficata* Link." *Phytomedicine*. 2010 Jan; 17(1): 37-41.

Tzeng, Y., et al. "Kaempferitrin activates the insulin signaling pathway and stimulates secretion of adiponectin in 3T3-L1 adipocytes." *Eur. J. Pharmacol*. 2009 Apr; 607(1-3): 27-34.

Vishnu Prasad, C., et al. "Kaempferitrin inhibits GLUT4 translocation and glucose uptake in 3T3-L1 adipocytes." *Biochem. Biophys. Res. Commun*. 2009 Feb; 380(1): 39-43.

Volpato, G., et al. "Effect of *Bauhinia forficata* aqueous extract on the maternal-fetal outcome and oxidative stress biomarkers of streptozotocin-induced diabetic rats." *J. Ethnopharmacol*. 2008 Feb; 116(1): 131-7.

Menezes Sousaminto, F., et al. "Hypoglycemic activity of two Brazilian *Bauhinia* species: *Bauhinia forficata* L. and *Bauhinia monandra* Kurz." *Rev. Bras. Farmacogn*. 2007; 17: 8–13.

Pinheiro, T., et al. "Comparative assessment of kaempferitrin from medicinal extracts of *Bauhinia forficata* " *J. Pharm. Biomed. Anal*. 2006 May; 41(2): 431-6.

Cazarolli, L., et al. "Follow-up studies on glycosylated flavonoids and their complexes with vanadium: their anti-hyperglycemic potential role in diabetes." *Chem. Biol. Interact*. 2006 Nov; 163(3): 177-91.

Estrada, O., et al. "Evaluation of flavonoids from *Bauhinia megalandra* leaves as inhibitors of glucose-6- phosphatase system." *Phytother. Res*. 2005; 19(10): 859-63.

Vasconcelos, F., et al. "Insulin-like effects of *Bauhinia forficata* aqueous extract upon *Tityus serrulatus* scorpion envenoming." *J. Ethnopharmacol.* 2004 Dec; 95(2-3): 385-92.

Jorge, A., et al. "Insulinomimetic effects of kaempferitrin on glycaemia and on ¹⁴C-glucose uptake in rat soleus muscle." *Chem. Biol. Interact.* 2004 Oct; 149(2-3): 89-96

Fuentes, O., et al. "Hypoglycemic activity of *Bauhinia candicans* in diabetic induced rabbits." *Fitoterapia.* 2004 Sep; 75(6): 527-32.

Pepato, M., et al. "Evaluation of toxicity after one-months treatment with *Bauhinia forficata* decoction in streptozotocin-induced diabetic rats." *BMC Complement. Altern. Med.* 2004 Jun 8; 4: 7.

de Sousa, E., et al. "Hypoglycemic effect and antioxidant potential of kaempferol-3,7-O-(alpha)-dirhamnoside from *Bauhinia forficata* leaves." *J. Nat. Prod.* 2004; 67(5): 829-32.

Lino, S., et al. "Antidiabetic activity of *Bauhinia forficata* extracts in alloxan-diabetic rats." *Biol. Pharm. Bull.* 2004; 27(1): 125-7.

Pepato, M., et al. "Anti-diabetic activity of *Bauhinia forficata* decoction in streptozotocin-diabetic rats." *J. Ethnopharmacol.* 2002 July; 81(2): 191-97.

Silva, F., et al. "Acute effect of *Bauhinia forficata* on serum glucose levels in normal and alloxan-induced diabetic rats." *J. Ethnopharmacol.* 2002; 83(1-2): 33-7.

Lemus, I., et al. "Hypoglycemic activity of four plants used in Chilean popular medicine." *Phytother. Res.* 1999; 13(2): 91-4.

Miyake, E., et al. "[Pharmacognostic characterization of pata-de-vaca (*Bauhinia forficata*)]." *Rev. Bras. Farmacogn.* 1986; 1(1): 56-68.

Almeida, R., et al. "[Survey of medicinal flora used in the treatment of diabetes and some experimental results]." *VIII Simposio de Plantas Medicinais do Brasil*, Manaus-AM, Brazil. September 4-6, 1984, 23.

Costa, O., et al. "Estudo farmacoquimico da unha-de-vaca." *Rev. Flora Medicinal.* 1945; 9(4): 175-89.

Juliani, C., et al. "Hypoglycemic action of bauintrato (*Bauhinia forficata* preparation) new clinical and experimental study." *J. Clin.* 1941; 22: 17.

Juliane, C., et al. "[Hypoglycemic action of *Bauhinia forficata*. New experimental studies.]" *Rev. Sudam. Endocrin. Immol. Quimiot.* 1931; 14: 326-34.

Juliane, C., et al. "[Hypoglycemic action of unha-de-vaca.]" *Rev. Med. Pharm. Chim. Phys.* 1929; 2(1): 165-69.