

## **Antioxidant & Cellular Protective Actions of Roselle (*Hibiscus sabdariffa*)**

- Lai, Y., et al. "Extraction effects on roselle functionalities: Antioxidant, antiglycation, and antibacterial capacities." *Foods*. 2024 Jul; 13(14): 2172.
- Hernández-Hernández, F., et al. "*Hibiscus Sabdariffa* L. extract as a natural additive in food packaging biodegradable films to improve antioxidant, antimicrobial, and physicochemical properties." *Plant Foods Hum. Nutr.* 2024 Jun; 79(2): 285-291.
- Wanyo, P., et al. "Comprehensive analysis of antioxidant and phenolic profiles of Thai medicinal plants for functional food and pharmaceutical development." *Plant Foods Hum. Nutr.* 2024 Jun; 79(2): 394-400.
- Villegas-Aguilar M., et al. "Evaluation of bioactive effects of five plant extracts with different phenolic compositions against different therapeutic targets." *Antioxidants*. (Basel). 2024 Feb; 13(2): 217.
- Akram, H., et al. "Antioxidant and antineoplastic activities of *Hibiscus sabdariffa* Linn. petal extracts against oral squamous cell carcinoma cell line." *Oral Health Prev. Dent.* 2024 Feb; 22: 131-138.
- Yagi, S., et al. "Comparative study on the chemical profile, antioxidant activity, and enzyme inhibition capacity of red and white *Hibiscus sabdariffa* variety calyces." *ACS Omega*. 2023 Oct; 8(45): 42511-42521.
- Cho, W., et al. "Comparative analysis of water extracts from roselle (*Hibiscus sabdariffa* L.) plants and callus cells: Constituents, effects on human skin cells, and transcriptome profiles." *Int. J. Mol. Sci.* 2023 Jun; 24(13): 10853.
- Mustafa, S., et al. "Therapeutic effect of gossypetin against paraquat-induced testicular damage in male rats: a histological and biochemical study." *Environ. Sci. Pollut. Res. Int.* 2023 May; 30(22): 62237-62248.
- Olasehinde, T., et al. "*Hibiscus sabdariffa* (roselle) calyx: A systematic and meta-analytic review of memory-enhancing, anti-neuroinflammatory and antioxidative activities." *Inflammopharmacology*. 2023 Feb; 31(1): 231-240.
- Hamrita, B., et al. "Phytochemical analysis, antioxidant, antimicrobial, and anti-swarming properties of *Hibiscus sabdariffa* L. calyx extracts: *in vitro* and *in silico* modelling approaches." *Evid. Based Complement. Alternat. Med.* 2022 May; 2022: 1252672.
- Bassong, T., et al. "Effects of *Hibiscus sabdariffa* calyces aqueous extract on antioxidant status and histopathology in mammary tumor-induced in rats." *Evid. Based Complement. Alternat. Med.* 2022 Apr; 2022: 9872788.

- Alsharif, K., et al. "Protocatechuic acid attenuates lipopolysaccharide-induced septic lung injury in mice: The possible role through suppressing oxidative stress, inflammation and apoptosis." *J. Food. Biochem.* 2021 Oct; 45(10): e13915.
- Oyewopo, A., et al. "*Hibiscus sabdariffa* extract protects against cadmium-induced ovarian toxicity in adult Wistar rats." *Int. J. Physiol. Pathophysiol. Pharmacol.* 2020 Aug; 12(4): 107-114.
- Gerald, C., et al. "Sorrel extract reduces oxidant production in airway epithelial cells exposed to swine barn dust extract *in vitro*. *Mediators Inflamm.* 2019 Aug; 2019: 7420468..
- Pérez-Torres, I., et al. "Myocardial protection from ischemia-reperfusion damage by the antioxidant effect of *Hibiscus sabdariffa* Linnaeus on metabolic syndrome rats." *Oxid. Med. Cell. Longev.* 2019 Mar 26; 2019: 1724194.
- Adeyemi, D., et al. "*Hibiscus sabdariffa* renews pancreatic β-cells in experimental type 1 diabetic model rats." *Morphologie.* 2019 Jun; 103(341 Pt 2): 80-93.
- Pengkumsri, N., et al. "Influence of extraction methods on total phenolic content and antioxidant properties of some of the commonly used plants in Thailand." *Pak. J. Biol. Sci.* 2019 Jan; 22(3): 117-126.
- Jabeur, I., et al. "Exploring the chemical and bioactive properties of *Hibiscus sabdariffa* L. calyces from Guinea-Bissau (West Africa)." *Food Funct.* 2019 Apr; 10(4): 2234-2243.
- Ochoa-Velasco, C., et al. "Mass transfer modeling of the antioxidant extraction of roselle flower (*Hibiscus sabdariffa*)."*J. Food Sci. Technol.* 2019 Feb; 56(2): 1008-1015.
- Piovensana, A., et al. "Composition analysis of carotenoids and phenolic compounds and antioxidant activity from hibiscus calyces (*Hibiscus sabdariffa* L.) by HPLC-DAD-MS/MS." *Phytochem. Anal.* 2019 Mar; 30(2): 208-217.
- Nurkhasanah, N., et al. "The increasing of catalase activity in dimethylbenz-α-anthracene (DMBA) induced rat treated by *Hibiscus sabdariffa* L extract." *Pak. J. Pharm Sci.* 2018 May; 31(3): 849-856.
- Pimentel-Moral, S., et al. "Development and stability evaluation of water-in-edible oils emulsions formulated with the incorporation of hydrophilic *Hibiscus sabdariffa* extract." *Food Chem.* 2018 Sep; 260: 200-207.
- Famurewa, A., et al. "Abrogation of hepatic damage induced by anticancer drug methotrexate by zobo (*Hibiscus sabdariffa* extract) supplementation via targeting oxidative hepatotoxicity in rats." *J. Diet. Suppl.* 2019; 16(3): 318-330.
- Maciel, L., et al. "*Hibiscus sabdariffa* anthocyanins-rich extract: Chemical stability, *in vitro* antioxidant and antiproliferative activities." *Food Chem. Toxicol.* 2018 Mar; 113: 187-197.
- Hosseini, A., et al. "Protective effect of *Hibiscus sabdariffa* on doxorubicin-induced cytotoxicity in H9c2 cardiomyoblast cells." *Iran J. Pharm. Res.* 2017 Spring; 16(2): 708-713.

Subhaswaraj, P., et al. "Determination of antioxidant activity of *Hibiscus sabdariffa* and *Croton caudatus* in *Saccharomyces cerevisiae* model system." *J. Food Sci. Technol.* 2017 Aug; 54(9): 2728-2736.

Nguyen, N., et al. "Polyphenols reported to shift APAP-induced changes in MAPK signaling and toxicity outcomes." *Chem. Biol. Interact.* 2017 Nov; 277: 129-136.

Hadi, A., et al. "The effect of green tea and sour Tea (*Hibiscus sabdariffa* L.) supplementation on oxidative stress and muscle damage in athletes." *J. Diet. Suppl.* 2017 May; 14(3): 346-357.

Jabeur, I., et al. "*Hibiscus sabdariffa* L. as a source of nutrients, bioactive compounds and colouring agents." *Food Res. Int.* 2017 Oct; 100(Pt 1): 717-723.

Nazratun Nafizah, A., et al. "Aqueous calyces extract of Roselle or *Hibiscus sabdariffa* Linn supplementation improves liver morphology in streptozotocin induced diabetic rats." *Arab J. Gastroenterol.* 2017 Mar; 18(1): 13-20.

Kapepula, P., et al. "Comparison of metabolic profiles and bioactivities of the leaves of three edible Congolese Hibiscus species." *Nat. Prod. Res.* 2017 Dec; 31(24): 2885-2892.

Ogundele, O., et al. "Development of functional beverages from blends of *Hibiscus sabdariffa* extract and selected fruit juices for optimal antioxidant properties." *Food Sci. Nutr.* 2016 Jan; 4(5): 679-85.

Ezzat, S., et al. "Metabolic profile and hepatoprotective activity of the anthocyanin-rich extract of *Hibiscus sabdariffa* calyces." *Pharm. Biol.* 2016 Dec; 54(12): 3172-3181.

Soto, M., et al. "Infusion of *Hibiscus sabdariffa* L. modulates oxidative stress in patients with Marfan Syndrome." *Mediators Inflamm.* 2016; 2016: 8625203.

Bi, W., et al. "Investigation of free amino acid, total phenolics, antioxidant activity and purine alkaloids to assess the health properties of non-Camellia tea." *Acta Pharm. Sin. B.* 2016 Mar; 6(2): 170-81.

Rodriguez-Ramiro, I., "Polyphenols and non-alcoholic fatty liver disease: impact and mechanisms." *Proc. Nutr. Soc.* 2016 Feb; 75(1): 47-60.

Grajeda-Iglesias, C., et al. "Antioxidant activity of protocatechuates evaluated by DPPH, ORAC, and CAT methods." *Food Chem.* 2016 Mar; 194: 749-57.

Lin, H., et al. "Antioxidant effects of 14 Chinese traditional medicinal herbs against human low-density lipoprotein oxidation." *J. Tradit. Complement. Med.* 2014 Nov; 5(1): 51-5.

Formagio, A., et al. "Phenolic compounds of *Hibiscus sabdariffa* and influence of organic residues on its antioxidant and antitumoral properties." *Braz. J. Biol.* 2015 Jan-Mar; 75(1): 69-76.

Abdul Hamid, Z., et al. "The role of *Hibiscus sabdariffa* L. (Roselle) in maintenance of ex vivo murine bone marrow-derived hematopoietic stem cells." *Scientific World Journal.* 2014; 2014: 258192.

- Victor, E., et al. "Efficacy of *Hibiscus sabdariffa* and *Telfairia occidentalis* in the attenuation of CCl<sub>4</sub>-mediated oxidative stress." *Asian Pac. J. Trop. Med.* 2014 Sep; 7S1: S321-6.
- Adeyemi, D., et al. "Anti-hepatotoxic activities of *Hibiscus sabdariffa* L. in animal model of streptozotocin diabetes-induced liver damage." *BMC Complement. Altern. Med.* 2014 Jul 30; 14: 277.
- Sarkar, B., et al. "Antioxidant and DNA damage protective properties of anthocyanin-rich extracts from Hibiscus and Ocimum: a comparative study." *Nat. Prod. Res.* 2014; 28(17): 1393-8.
- Ademiluyi, A., et al. "Anthocyanin - rich red dye of *Hibiscus sabdariffa* calyx modulates cisplatin-induced nephrotoxicity and oxidative stress in rats." *Int. J. Biomed. Sci.* 2013 Dec; 9(4): 243-8.
- Mohamed, J., et al. "The protective effect of aqueous extracts of roselle (*Hibiscus sabdariffa* L. UKMR-2) against red blood cell membrane oxidative stress in rats with streptozotocin-induced diabetes." *Clinics (Sao Paulo)*. 2013 Oct; 68(10): 1358-63.
- Fernández-Arroyo, S., et al. "Bioavailability study of a polyphenol-enriched extract from *Hibiscus sabdariffa* in rats and associated antioxidant status." *Mol. Nutr. Food Res.* 2012 Oct; 56(10): 1590-5.
- Frank, T., et al. "Consumption of *Hibiscus sabdariffa* L. aqueous extract and its impact on systemic antioxidant potential in healthy subjects." *J. Sci. Food Agric.* 2012 Aug 15; 92(10): 2207-18.
- Okoko, T., et al. "*Hibiscus sabdariffa* extractivities on cadmium-mediated alterations of human U937 cell viability and activation." *Asian Pac. J. Trop. Med.* 2012 Jan; 5(1): 33-6.
- Ajiboye, T., et al. "Antioxidant and drug detoxification potentials of *Hibiscus sabdariffa* anthocyanin extract." *Drug Chem. Toxicol.* 2011 Apr; 34(2):109-15.
- Umar, I., et al. "The effect of aqueous extracts of *Hibiscus sabdariffa* (Sorrel) calyces on haematological profile and organ pathological changes in *Trypanasoma congolense* - infected rats." *Afr. J. Tradit. Complement. Altern Med.* 2009 Jul; 6(4): 585-91.
- Sáyago-Ayerdi, S., et al. "Dietary fiber content and associated antioxidant compounds in Roselle flower (*Hibiscus sabdariffa* L.) beverage." *J. Agric. Food Chem.* 2007 Sep; 55(19): 7886-90.
- Amin, A, et al. "Effects of roselle and ginger on cisplatin-induced reproductive toxicity in rats." *Asian J. Androl.* 2006 Sep; 8(5): 607-12.
- Farombi, E., et al. "Free radical scavenging and antigenotoxic activities of natural phenolic compounds in dried flowers of *Hibiscus sabdariffa* L." *Mol. Nutr. Food Res.* 2005 Dec; 49(12): 1120-8.
- Hirunpanich, V., et. Al. "Antioxidant effects of aqueous extracts from dried calyx of *Hibiscus sabdariffa* Linn. (Roselle) *in vitro* using rat low-density lipoprotein (LDL)." *Biol. Pharm. Bull.* 2005 Mar; 28(3): 481-4.

Adetutu, A., et al. "Anticlastogenic effects of *Hibiscus sabdariffa* fruits against sodium arsenite-induced micronuclei formation in erythrocytes in mouse bone marrow."

*Phytother. Res.* 2004 Oct;18(10):862-4.

Suboh, S., et al. "Protective effects of selected medicinal plants against protein degradation, lipid peroxidation and deformability loss of oxidatively stressed human erythrocytes." *Phytother. Res.* 2004 Apr; 18(4): 280-4.

**By Leslie Taylor. Copyrighted September 2025. All Rights Reserved.**

**Return to the Rain-Tree [Tropical Plant Database File on Roselle](#)**